Attorney Docket No.: BRONNE00600

Thereby certify that this correspondence is being electronically transmitted to the USPTO on the date shown below.

Date: July 15, 2008

Signature:

(Quyen Nguyen)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application No.:

10/615,491

Confirmation No.:

8889

Filing Date:

July 7, 2003

Inventor(s):

Bryan LOOMAS et al.

Title:

EXTRAPLEURAL AIRWAY DEVICE AND METHOD

Examiner:

Roy Dean Gibson

Group Art Unit:

3739

STATEMENT OF SUBSTANCE OF INTERVIEW

Mail Stop Issue Fee Commissioner for Patent P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

Applicant's attorney is thankful to Examiner Vrettakos for the telephone interview of March 4, 2008. The participants of this interview included Examiner Vrettakos and Richard Batt (VP of Intellectual Property for Broncus Technologies, Inc.).

The parties discussed the pending claims and in particular, amending Claim 1 to recite more specific anatomy and steps. Applicant agreed to amend the claims as indicated in the allowed claims.

Agreement was reached that the amended claims were patentable and acceptable to Applicant and the Examiner.

Application No.: 10/615,491 Attorney Docket No.: BRONNE00600

CONCLUSION

If it is determined that a telephone conference would expedite the prosecution of this application, the Examiner is invited to telephone the undersigned at the number given below.

In the event the appropriate fee and/or petition is not filed herewith and the U.S. Patent and Trademark Office determines that an extension and/or other relief is required. Applicant petitions for any required relief including extensions of time and authorize the Commissioner to charge the cost of such petitions and/or other fees due in connection with this filing to Deposit Account No. 50-3973 referencing Attorney Docket No. BRONNE00600.

Respectfully submitted,

Sanjay S. Bagade

Registration No. 42,280

Customer No. 74059

Levine Bagade Han LLP

2483 East Bayshore Road, Suite 100

Palo Alto, CA 94303

Direct: (650) 242-4212 Fax: (650) 284-2180